

DELIVERING THE PERFECT MEETING: AN OVERVIEW OF AMX CONFERENCE ROOM AUTOMATION PRODUCTS

Enova DVX All-In-One Presentation Switchers

Enova DVX All-In-One Presentation Switchers seamlessly manage the behind-the-scenes switching, distribution and control of all your conference room audio and video inputs and outputs. The DVX dramatically simplifies operation and



maintenance and is ideal for any room with a mix of analog and digital sources, multiple displays, or rooms that need support for video conferencing. The DVX family includes exclusive technologies like SmartScale® and InstaGate Pro™ that ensure that all your displayed content looks perfect from the start, with no hassles, regardless of its source.

- **Unbeatable dependability and functionality** – Control all your audio and video from a single small chassis that eliminates redundant cabling and reduces points of failure.
- **Perfect audio and video** – The DVX automatically ensures that video from any source is optimally scaled to displays for a perfect image, while audio processing ensures optimal sound quality throughout.
- **Easy to maintain** - The DVX can be supported and serviced remotely over your current IT infrastructure and accommodates easy training, sparing and troubleshooting.
- **Delivers a consistently awesome experience** – Standardizing on this product in all your rooms reduces total cost of ownership and delivers substantial energy savings.



Modero X Series Touch Panels

The User Interface is the most important component of a successful conference room automation solution, since it's where the End User controls the meeting environment. The Modero X Series is the most elegant family of user interfaces designed specifically for dedicated room control. This new generation of touch panels is built for usability offering edge-to-edge capacitive touch glass with multi-touch capabilities. It features advanced technology, empowering users to operate AV equipment seamlessly, while providing the ultimate in audio and video quality.




- **Multi-task capability** – The contemporary design provides a large control surface, which allows multiple views for different activities such as presenting, controlling and previewing.
- **Simple to use interfaces** – The capacitive multi-touch screen combined with intuitive user interfaces makes it easy for anyone to operate sophisticated meeting room equipment.
- **Sleek & elegant design:** Modero X panels sport an elegant, ergonomic look and are designed to sit perfectly on a conference table without obstructing views.



AMX Accessories

Add functionality, simplicity and elegance to your AMX conference room with optional AMX accessories that make it easier for users to connect equipment and control the room environment.

- **Hydraport Cable Connection System** - A simple way to connect AV control, network and power directly from the conference table.
- **Lutron® Clear Connect™ Lighting Control** - Add lighting control to virtually any location without pulling wires.
- **Keypads and ControlPads** – Provide cost-effective device control from a small wall plate.



Rapid Project Maker (RPM)

Automate your AMX conference room or classroom in less than an hour, with no programming required. RPM is a cloud-based software configuration tool that allows your AV and IT support teams to easily configure an AMX system by using a step-by-step wizard-based approach. With RPM, automating a conference room is:



- **Simple** – No programming or sophisticated technical knowledge required.
- **Fast** – Set up a complete system in an hour or less that works perfectly from the start.
- **Affordable** – RPM is free and eliminates expensive programming and integration costs.
- **Rock-Solid** – RPM system designs and code are tested and backed by AMX.
- **Easy to duplicate** – Projects are saved to the AMX Cloud and can be duplicated to any number of similar rooms.

Resource Management Suite (RMS)

RMS Enterprise is scalable client/server based software for IT and AV managers that provides remote management capabilities for AV assets and building systems. The software features a user-friendly dashboard making it easy to centralize the management and monitoring of AV equipment, lights, HVAC and other building functions, allowing end users to proactively maintain AV devices and ensure meeting room uptime.



- **Widget-Based GUI** - Includes a fully customizable dashboard layout for each secure user, including visual bar graphs, user-defined status and notifications, and Hotlists displaying all current system exceptions and issues.
- **Enterprise Architecture** - Provides large scale management for users, roles, and tracking user activities including an audit trail of who performed each activity and when it was completed. The server software supports authentication, encryption and protection from cross-site scripting to prevent security threats.
- **Energy Management Features** - Track and display information on energy usage for monitored assets. Optimize energy utilization by placing equipment in standby mode.
- **Scheduling & Calendaring** - Schedule room automation, reserve rooms from AMX touch panels, and display important appointment information. Fully integrated with popular scheduling systems (Exchange, Lotus Notes & more).

6x3s

Includes 2 independent, scaled HDMI outputs and 1 independent DXLink output with power

DVX-2150HD-SP

6 Video Inputs (2 Multi-Format DVI (HDMI/HDCP capable), 4 HDMI/HDCP), 2x25w - 8 Ohm amplifier



DVX-2150HD-SP

DVX-2150HD-T

6 Video Inputs (2 Multi-Format DVI (HDMI/HDCP capable), 4 HDMI/HDCP), 75w - 70V/100V amplifier



DVX-2150HD-T

DVX-2155HD-SP

6 Video Inputs (2 Multi-Format DVI (HDMI/HDCP capable), 2 HDMI/HDCP, 2 DXLink), 2x25w - 8 Ohm amplifier



DVX-2155HD-SP

DVX-2155HD-T

6 Video Inputs (2 Multi-Format DVI (HDMI/HDCP capable), 2 HDMI/HDCP, 2 DXLink), 75w - 70V/100V amplifier



DVX-2155HD-T

10x4s

Includes 4 independent scaled HDMI outputs and 2 DXLink outputs (unpowered) that mirror two of the scaled HDMI outputs

DVX-3150HD-SP

10 Video Inputs (4 Multi-Format DVI (HDMI/HDCP capable), 6 HDMI/HDCP), 2x25w - 8 Ohm amplifier



DVX-3150HD-SP

DVX-3150HD-T

10 Video Inputs (4 Multi-Format DVI (HDMI/HDCP capable), 6 HDMI/HDCP), 75w - 70V/100V amplifier



DVX-3150HD-T

DVX-3155HD-SP

10 Video Inputs (4 Multi-Format DVI (HDMI/HDCP capable), 4 HDMI/HDCP, 2 DXLink), 2x25w - 8 Ohm amplifier



DVX-3155HD-SP

DVX-3155HD-T

10 Video Inputs (4 Multi-Format DVI (HDMI/HDCP capable), 4 HDMI/HDCP, 2 DXLink), 75w - 70V/100V amplifier



DVX-3155HD-T

Enova DVX All-In-One Presentation Switchers



MXT-2000XL-PAN

20" PANORAMIC TABLETOP

MXT-1900XL-PAN

19" PANORAMIC TABLETOP

MXT-1000

10" TABLETOP

MXT-700

7" TABLETOP

Modoro X Series Touch Panels



RMS: Manage
AV Equipment

RPM:
Configure

HydraPort:
Connect

Keypads and ControlPads:
Room Control

Sensors & Dimmers:
Control Lighting